REQUEST FOR PROPOSAL

Name of the Work: Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation



BAREILLY SMART CITY LIMITED (BSCL) BAREILLY

(UTTAR PRADESH, INDIA)



Employer: Bareilly Smart City Limited (BSCL),

Nagar Nigam, Bareilly- 243001 Telephone: 0581- 25510074 Email: ceo.bscl01@gmail.com

DISCLAIMER

BAREILLY SMART CITY LIMITED (BSCL) BAREILLY (UTTAR PRADESH, INDIA)

(1)

Ref No: -BSCL/2020-21/697

Date: 03/02/202

Bareilly Smart City Limited, Bareilly invites e-tender for the following projects: -

| S. No. | Name of the Work | Earnest Money Deposit (Rs.) | Tender fee with GST @ 18% (Rs.) | Work completion Period | Bid Start Date |
|-----------|---|--------------------------------|---------------------------------------|------------------------------|----------------|
| 01 | Renovation of Ghantaghar Clock Tower with Development Of Moti Park And Parking Area Under Bareilly Smart City Limited | 2 Lakhs | 11,800 | 6 Months | 0\$ 02/2021 |
| 02 | Retrofitting of Lakshman Dayal Singhal Nagar Nigam Reading Room and Library with Smart Infrastructure for Digital Library under Bareilly Smart City Limited | 1.50 Lakhs | 11,800 | 6 Months | 05/02/202 |
| 03 | External Development of New Nagar Nigam Building under Bareilly Smart City Limited | 5 lakhs | 11,800 | 6 Months | 05/02/202 |
| 04 | Design, Supply and Construction of Drain and Pond Rejuvenation Civil works in Akshar Vihar Pond in Bareilly | 8 Lakhs | 11,800 | 9 Months | 05/02/202 |

Detailed NIT and Bid Document shall be available on: - https://etender.up.nic.in and http://www.bareillysmartcity.in
 Tender call notice in two Bid systems (Part- I: General & Technical Bid and Part-II: financial Bid/Price Bid/BOQ) from intending bidders fulfilling the eligibility criteria mentioned in this Notice and other qualifying requirements mentioned in this RFP.
 Amendment to NIT if any would be published on website only.
 In case of any queries on this RFP, intending bidders may contact THE GENERAL MANAGER, BAREILLY SMART CITY LIMITED, Bareilly (Tel. No: - 0581- 25510074, 7055519602) or send an email to: ceo.bscl01@gmail.com

Chief Executive Officer, Bareilly Smart City Limited, Bareilly.

| प्रकाशन | हतू | नह |
|--------------|-----|----|
| M. 40. 5 . 5 | | |

1. सम्पादक, Times Of Sake (All Edition), Damk Tayron (local Edition) को इस अनुरोध के साथ कि अपने राष्ट्रीय संस्करण समावार पत्र में उपरोक्त निविदा सूचना का प्रकाशन आगामी संस्करण में डी०ए०बी००पी० दरों पर न्यूनतम स्थान में एक बार प्रकाशित करने का कष्ट करे तथा 04 प्रतियों के साथ बिल मुगतान हेतू प्रेषित करें ।

आयुक्त महोदय, बरेली मण्डल, बरेली की सूचानार्थ ।

नोटिस बोर्ड पर चस्पा हेतू ।
 कम्प्यूटर प्रभारी/ आई.टी० एक्सपर्ट नगर निगम बरेली को इस अनुरोध के साथ प्रेषित कि उक्त निविदा सूचना को नगर निगम.

बरेली की वेबसाइट पर प्रदर्शित करने का कष्ट करें ।

Chief Executive Officer, Bareilly Smart City Limited, Bareilly The information contained in this Request for Proposal document ("RFP") or subsequently provided to bidders, verbally or in documentary or any other form by or on behalf of the Bareilly Smart City Limited (here forth referred to as BSCL in this document) or any of its employees or advisers, is provided to bidders on the terms and conditions set out in this RFP and such other terms and conditions subject to which such information is provided.

This RFP is not an agreement and is not an invitation by the Employer to the prospective Consultants or any other person. The purpose of this RFP is to provide interested bidders with information that may be useful to them in the formulation of their Proposals pursuant to this RFP. This RFP includes statements, which reflect various assumptions and assessments arrived at by the Employer in relation to the Consultancy. Such assumptions, assessments and statements do not purport to contain all the information that each bidder may require. This RFP may not be appropriate for all persons, and it is not possible for the Employer, its employees or advisers to consider the objectives, technical expertise and particular needs of each party who reads or uses this RFP. The assumptions, assessments, statements and information contained in this RFP, may not be complete, accurate, adequate or correct. Each bidder should, therefore, conduct its own investigations and analysis and should check the accuracy, adequacy, correctness, reliability and completeness of the assumptions, assessments and information contained in this RFP and obtain independent advice from appropriate sources.

Information provided in this RFP to the bidder (consultant/contractor/developer/Manufacturer/Supplier etc.) is on a wide range of matters, some of which depends upon interpretation of law. The information given is not an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Employer accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on the law expressed herein.

The BSCL and its employees and advisers make no representation or warranty and shall have no liability to any person including any bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this RFP or otherwise, including the accuracy, adequacy, correctness, reliability or completeness of the RFP and any assessment, assumption, statement or information contained therein or deemed to form part of this RFP or arising in any way in this Selection Process.

The BSCL also accepts no liability of any nature whether resulting from negligence or otherwise however caused arising from reliance of any bidder upon the statements contained in this RFP.

The BSCL may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumption contained in this RFP.

The issue of this RFP does not imply that the Employer is bound to select a bidder or to appoint the selected bidder, as the case may be, for the Consultancy and the BSCL reserves the right to reject all or any of the Proposals without assigning any reasons whatsoever.

The bidder shall bear all its costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by the BSCL or any other costs incurred in connection with or relating to its Proposal. All such costs and expenses will remain with the bidder and the BSCL shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation or submission of the Proposal, regardless of the conduct or outcome of the Selection Process.

Chief Executive Officer, Bareilly Smart City Limited, Bareilly

BAREILLY SMART CITY LIMITED (BSCL) BAREILLY (UTTAR PRADESH, INDIA)

Letter no. BSCL/2020-21/697

Date. 03/02/2021

NATIONAL COMPETITIVE BIDDING THROUGH e-Procurement

Chief Executive Officer (CEO), Bareilly Smart City Ltd., Bareilly invites Percentage Rate Bids for the work mentioned below through e-Procurement in conformity with the terms and conditions of this advertisement and the detailed tender call notice in two Bid systems (Part- I: General & Technical Bid and Part-II: financial Bid/Price Bid/BOQ) from intending bidders fulfilling the eligibility criteria mentioned in this Notice and other qualifying requirements mentioned in this RFP. Bidders can participate in the tender after registering them on E-tendering portal http://etender.up.nic.in. Bidder can download the RFP from http://etender.up.nic.in after paying the tender cost through online payment in the name of Bareilly Smart City Limited, A/C No. : 0294001100000836, Name of Bank: Punjab National Bank, Branch: Pilibhit By-Pass Road, Bareilly, IFSC Code: PUNB0613400. Bidder will have to upload the scanned copy of transaction slip along with technical bid, failing this; the Bid is liable to be rejected. The Bidder should deposit the Earnest Money online in above mentioned account number or through Bank Guarantee from a Nationalized Bank pledged in favor of Chief Executive officer, Bareilly Smart City Limited, Bareilly. The scanned copy of the transaction slip should be uploaded along with technical bid. The bidders should have necessary Portal enrollment (Digital Signature Certificate) under e-procurement process of Govt. of Uttar Pradesh in required class/category. In case of any queries on this RFP, intending bidders may contact CHIEF EXECUTIVE OFFICER, BAREILLY SMART CITY LIMITED, Bareilly (Tel. No: - 0581- 25510074)

| S. No. | Name of the Work | Earnest Money Deposit (Rs.) | Tender Fee with GST @ 18% (Rs.) | Work Completion Period |
|--------|--|-----------------------------------|---------------------------------------|------------------------------|
| 1. | Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation | 1.50 Lakhs | 11800 | 6 Months |

Time schedule for Bidding:

| S. No. | Description | Critical I | Dates |
|--------|---------------------------------|------------|---------|
| 1 | Upload/Publish of RFP | 05/02/2021 | 6:00 PM |
| 2 | Bid start Date/Time of RFP | 05/02/2021 | 6:00 PM |
| 3 | Pre-Bid Meeting | | |
| 4 | Bid Closing Date/Time of RFP | 17/02/2021 | 3:00 PM |
| 5 | Technical Bid Opening Date/Time | 18/02/2021 | 7:00 PM |
| 6 | Financial Bid Opening Date/Time | To be no | tified |

- Other details can be seen on website http://etender.up.nic.in (for view, download and bidding) and on website www.bareillysmartcity.in (for view and download only).
- 2. Subsequent corrigendum, if required, shall appear in these websites.
- 3. Authority reserves the right to reject any or all the tenders without assigning any reasons
- 4. Contractor who want to participate in bid must register themselves on http://etender.up.nic.in
- For any other queries, please contact Nodal Officer, Bareilly Smart City Limited. Also, for any further queries, the bidders are advised to send an email to: ceo.bscl01@gmail.com/

Chief Executive Officer, Bareilly Smart City Limited, Bareilly.

Contents

| BAREILLY SMART CITY LIMITED (BSCL) BAREILLY | 1 |
|---|----|
| DISCLAIMER | 1 |
| Time schedule for Bidding: | 4 |
| PROJECT PROFILE | |
| RFP PART-I: SECTION-I | 7 |
| SHORT TERMS AND DEFINITIONS | 7 |
| RFP PART-I: SECTION-II | |
| Detailed Tender Notice | 8 |
| ELECTRICAL, NETWORKING AND CCTV WIRING AND EQUIPMENTS | |
| MONITORING SYSTEM: | 20 |
| TENDER DRAWINGS: | 21 |
| SPECIAL CONDITIONS OF THE RFP/CONTRACT | 26 |
| BANK GUARANTEE | |
| BID SUBMISSION LETTER FORMAT | 32 |
| FORMAT FOR TECHNICAL BID | 34 |
| Part II | 35 |
| DRAFT LETTER OF INTENT | 57 |
| DRAFT CONTRACT AGREEMENT | 59 |

PROJECT PROFILE

The up-gradation of public facilities is one of the major components of the Bareilly Smart City scheme. Every city needs a good library with a wide range of books for its citizens to be used. The Laxman Dayal Singhal Library is an existing building which needs to be renovated as a combination of a traditional library and a digital library. Hence, this proposal is designed keeping in mind the requirements of a physical as well as a digital library and the current technological standards.

The library building is located near main gate of Government Inter College Bareilly. The project is to renovate the building with modern features to facilitate the students and citizens of the city. The library floor has 3 halls, the main hall in the center has the main physical library with majority of the bookshelves and seating spaces along with the digital library which contains computers all over which are all connected to the digital library (E-Granthalaya) catalogue. The two halls on the left and right are more of traditional library spaces with bookshelves, newspaper and magazine stands. There is also provision for sitting and reading in the library tables and standing and reading newspapers in the newspaper stands. There will also be supervisor tables on either side with server shelves and new toilets. The existing toilet in this floor will be replaced with two separate toilets for male and female.

RFP PART-I: SECTION-I

SHORT TERMS AND DEFINITIONS

- The words "Nagar Nigam, Bareilly", "BSCL", or "Employer" or "employer" mentioned in the RFP shall mean explicitly /implicitly Bareilly Smart City Ltd., Bareilly represented through its CHIEF EXECUTIVE OFFICER and shall also mean other official(s) concerned of BSCL, Bareilly formally or informally declared/advised/instructed by CHIEF EXECUTIVE OFFICER to act and perform the duties of BSCL on behalf of, CHIEF EXECUTIVE OFFICER" for any parts(s)/Portion(s) of the work or for the whole work. The word, BSCL shall also mean the various Technical Committees of BSCL, Bareilly.
- 2. "Govt." or Govt. of Uttar Pradesh OR Local Urban Development Bodies or any other Dept." Or its subordinate functionaries/ organizations/agencies mentioned in this RFP shall have the same meaning, implication and power to intervene in this work as understood/implied from the corresponding clauses of this RFP where the above terminologies appeared/mentioned.
- "Bidder" means an entity submitting the proposal.
- 4. After the tender is finalized and accepted the words/ expression; selected Bidder, selected Contractor, selected Agency, Contractor, Successful bidder mentioned in this RFP shall have the same meaning and shall ordinarily mean/be understood as "contractor".
- 5. The words, Contract/ Agreement appearing in this RFP shall mean agreement.
- 6. The word "Work" includes the deliverables by the contractor during the defect liability period of 365 days from the date of completion of the original works.
- 7. Clarification(s) on other terminologies, if any required, shall be issued as and when necessary.
- 8. "Civil Work" means renovation or construction of building including construction, maintenance.
- 9. "Last three financial years" means FY 2016-17, and 2017-18, 2018-19.
- "Similar Work" means "Renovation or construction of commercial establishment/ office/ school building."

RFP PART-I: SECTION-II

Detailed Tender Notice

Eligibility criteria (Technical and Financial) for the Bidders intending to participate, Bidder shall fulfill the following Eligibility Criteria:

a. Technical Eligibility Criteria

Tenderer will have to upload the following documents to qualify for the Technical bid:

- Bidder: Each intending Bidder may be a natural person/ sole proprietorship/ Company/ Partnership firm/ LLP having authority to participate in this RFP. Bidder shall enclose the relevant registration certificates.
- GST Registration
- PAN Card
- PF Registration
- Income tax return copy of last 3 years (FY 2016-17, 2017-18, 2018-19 i.e. assessment year 2017-18,2018-19,2019-20) duly self-attested by the Bidder.
- Balance sheet of last 3 years (FY 2016-17, 2017-18, 2018-19) duly attested by Chartered Accountant.
- Bidder has to submit EMD through RTGS/ NEFT/ BANK GUARANTEE (BG) of Nationalized Bank and Tender Fees through RTGS/ NEFT. The receipt of the transaction has to be uploaded online. The Bank Guarantee should be submitted to BSCL within 3 days after Bid submission due date.
- Self-declaration certificate by Bidder in the form of Affidavit is to be submitted. (Format Annexure IV).
- Affidavit required by the bidder stating that the Bidding firm has not been Black listed by any Central/State Government Authority/ Department in last three (3) years. (Format Annexure III).
- No Relationship Certificate (format Annexure II)
- Bidders should have an Average Annual Turnover of value not less than 41 Lakhs during last three financial yearsi.e. F.Y. 2016-17, 2017-18, 2018-19.
- Experience certificate of having successfully completed similar works during last 7 years:

One similar work costing not less than the amount Rs. 55 Lakhs.

or

Two similar works each costing not less than the amount Rs. 41 Lakhs.

or

Three similar works each costing not less than the amount Rs. 27 Lakhs.

"Similar Work" means "Renovation or construction of commercial establishment/ office /school building."

*All the above stated documents are required to be duly attested by the Contractor/Bidder under the company seal.

* If any of the above documents is found missing or incorrect, then the bid will be disqualified.

*Proof of having successfully completed similar works must be submitted in the form of a completion certificate issued by the Client.

*Joint venture or consortium of Bidders is NOT permitted.

Even though the Bidder meets the above qualifying criteria, he is subject to be disqualified if he has;

Made a misleading or false representation[s] in the Forms, Statements and Attachments submitted in Proof of the Qualification Requirements.

And/or

A record of poor performance such as Abandoning a work, Poor quality of work, Claim, Litigation History, or Financial failures etc. in any State Govt. organization/services/corporations/local body etc. (by whatever names these are called).

Financial Eligibility Criteria / Selection Process

The financial Bid will be opened only if the bidder successfully qualifies the technical Bid round.

Ranking order for Bid – Lowest to highest. The bidder which qualifies all the conditions mention in the bid document and has quoted the lowest rate shall be selected for the contract.

Drawl of Agreement: If L1 bidder does not turn up for agreement after finalization of the tender, then he shall be debarred from participation in bidding at least for three years in BSCL and action may be taken to blacklist the contractor. In that case, the L2 bidder, if fulfilling, other required criteria, would be called for drawing agreement for execution of the work subject to the condition that L2 bidder negotiates his/her/their rate and terms and conditions as per with the rate quoted by the L1 bidder, otherwise the tender will be cancelled.

INSTRUCTIONS TO BIDDERS

- Bid documents consisting of RFP are available on the e-procurement website i.e. http://etender.up.nic.in/ (for view, download and bidding) and in websites www.nagarnigambareilly.com (for view only)
- 2. As stated above, it is a two bid (part1: General and Technical bid, Part II: Financial Bid) e-procurement Proposal of BSCL. As per the corresponding guidelines of Govt. of Uttar Pradesh, each on line Part-I bid should be uploaded in the offer along with the checklist. Complete address, contact details, email address, website address, etc must be there on the letter head for easy and fast communication, legible scanned copies of valid contractor's Registration Certificate (License) (save as mentioned at above), EPF Registration, GST No., PAN CARD, Earnest Money Deposit(EMD)/Bid security (refundable), and cost of tender Documents (non refundable).
- 3. Earnest Money Deposit: the value of EMD as mentioned (in Tender Document) Earnest Money shall be paid through NEFT/RTGS/BANK GUARANTEE (BG) in the name of Bareilly Smart City Limited, Bareilly. After Tender opening, The EMD of the unsuccessful bidders will be returned to account provided by the bidder during the registration on e-tendering portal under beneficiary Account number. Earnest money in the form of cheque or any other form except above will not be accepted. Scanned Copy of the Transaction slip has to be uploaded along with the Technical Bid.
- 4. Regarding submission of original documents as a prime component of Part I bid, the following instructions are to be followed. The intending bidders should submit their bid only through etendering.
- 6. Each received bid, if otherwise not rejected, shall remain valid for a period of 120 days from the date of opening. Subsequent extension of validity of any bid shall be subject to mutual consent of the respective bidder and BSCL.
- 7. Within 30 days after opening of the financial bids (RFP Part-II), the EMD(s) of the unsuccessful bidder(s) except the 2nd lowest bidder (L2) shall be refunded/ returned, preferably in the shape and manner submitted by the respective bidder(s) for the work on written request(s) and with proper acknowledgement(s). The EMD of L2 bidder can be refunded in the shape and manner to be decided by BSCL after finalization of the Bid for the work.
- 8. The intending bidders are also urged to acquaint themselves with the respective site conditions

- wherein, the intended works are to be executed and submit their bids accordingly.
- 9. In case of any inconsistency or contradiction among different clauses / conditions / instructions / information furnished in this tender call notice/RFP, then necessary clarification can be sought for by the bidders before submission of their bids. Similarly, in case of the agreement to be drawn by BSCL with the successful bidder, conditions to be stipulated in the agreement shall be followed for all practical purposes unless any of those condition(s) is/are found redundant/inapplicable and inconsistent with the relevant provisions, as issued and amended till the date of invitation of this tender. In case of any dispute between the selected bidder and BSCL regarding such overriding effect, decisions of BSCL shall be final and binding without prejudice to the remedies available to either parties under law of the nation (India), Intending bidders are requested to understand this condition thoroughly and submit their tenders accordingly. For legal dispute(s), if any, the matter shall be settled within the jurisdiction of Bareilly Court.
- 10. Construction and demolition (C & D) waste materials generated, if any, at the respective work sites during execution of the aforesaid work should be deposited at site suggested by BSCL.
- 11. Unusual or unilateral interpretation (if any), of any part or whole of the RFP by any bidder and subsequently by the selected bidder, of any information /condition /provision to be laid down in the agreement (to be drawn between the selected bidder and BSCL), shall be out rightly rejected. Insisting on the interpretation(s) by any bidder and seeking/claiming clarification(s)/ correspondence(s) on the same form BSCL, shall be treated as violation(s) of the terms and conditions of this RFP/agreement and hence, action as deemed fit by BSCL shall be taken against such bidder(s) or contractor. Under such circumstance(s), BSCL shall resort to any procedure deemed fit for execution/completion of the work no claim in any manner by any bidder or the contractor shall be entertained/ accepted by BSCL.

Chief Executive Officer, Bareilly Smart City Limited, Bareilly

RFP PART - I: SECTION -III

GENERAL CONDITIONS OF THE RFP/CONTRACT

- 1. GST number required: All the tenderers should have a valid GST number. Failure to comply with this instruction shall render his/her/their bid incomplete and shall be rejected with other punitive action against the said as deemed fit by BSCL. In any change or amendment made by the Government will be applicable according the instructions.
- 2. Incomplete Tender(s) and Seeking Clarification(s): Tenders received in incomplete shape or found incomplete during evaluation of the bids, are liable for rejection. However, during evaluation if felt necessary by BSCL that, further clarification(s) is/are required on any document(s) submitted by any bidder(s) then BSCL may, at its sole discretion, resort to any procedure(s) deemed fit and by assigning reasonable time(s), as BSCL may decide just & proper for completion of the procedure(s). The result(s) of this /these time bound pursuit(s) shall have bearing(s) upon further evaluation/finalization of the corresponding tender(s) of the bidder(s) or on the tender for the work.
- 3. No Claim for Bidding/Cancellation of Tender, etc.: No claim shall be entertained towards any expenses made by any bidder for submission of the tender in case of cancellation/rejection/acceptance/withdrawal of the tender.
- 4. Understanding the RFP Before Bidding: The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the work and of the rates and prices quoted in the financial bid (RFP Part-II), which rates and prices shall, except as otherwise provided, cover all his obligations under the contract and all matters and things necessary for the proper completion and commissioning of the works. The tender amount accepted by BSCL with or without negotiation, as the case may be, shall remain firm until completion of the work. The tender(s) containing extraneous condition(s) are liable for rejection.
- 5. Work Program: The selected bidder shall submit construction schedule during signing of the agreement. The same shall be approved with necessary modifications, if any, by BSCL. However, BSCL shall reserve the right to modify the sequence of execution of different items/components/sub-items of the project as and when found necessary & in such cases it will be obligatory on the part of the selected bidder to abide by such changes in construction schedule/bar chart as per direction of BSCL. No claim and/or condition should either be put forth in any manner by the selected bidder or shall be acceptable to the BSCL.
- 6. Urgent work: If any urgent work in the opinion of BSCL becomes necessary to be executed and the contractor is unable and unwilling at once to carry out, the Engineer in Charge may be his own or through other agency carry it out, as he may consider necessary. All incurred on it shall be recoverable from the contractor or shall be adjusted against any sum

payable to the contractor.

- 7. Change(s) in Name and Constitution of the Contractor: Any change(s) in the name/constitution of the contractor, shall be forthwith notified by the contractor to BSCL for information. In case of failure to notify the change(s) within 15 days, BSCL may, by notice in writing, rescind the contract and the security deposit of the contractor shall, thereupon, stand forfeited and be absolutely at the disposal of BSCL and, the same consequences shall be ensured as if the contract had been rescind thereof and in addition the contractor shall not be entitled to recover or to be paid for any work thereof actually performed under the contract.
- 8. PERIOD OF CONTRACT: The tender for Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation shall be allotted for a period of 36 months (three years) from the date of work completion, for which an agreement with the successful bidder shall be signed as per ANNEXURE-IV and the conditions described herein shall also be part of the agreement.
- The successful bidder(s) shall execute an agreement/contract for the fulfilment of the contract on Rs.100/- non judicial stamp paper in the format enclosed, within ten days from the date of issuance of work award letter on acceptance of the tender.
- The incidental expenses of execution of agreement/contract shall be borne by the successful bidder.
- The conditions stipulated in the agreement/contract should be strictly adhered to and violation of any of these conditions will entail termination of the contract without prejudice to the rights of the BSCL and forfeiture of security deposit with BSCL.

9. Security Deposit/ Performance Security

The Successful bidder shall furnish 10% of Security deposit at the time of signing the agreement which includes EMD deposited along with the bid submission through FDR or Bank Guarantee or online transfer.

- (a) Security deposited shall be retained by the BSCL till the completion of the project.
- (b) 10% of security deposited will be released by BSCL after successful completion of 1 year of operation period.

10. Payment and release of the Funds

- a) The Security deposit shall be paid in the form of FDR/ RTGS/NEFT/ Bank Guarantee in favor of CEO, Bareilly Smart City Ltd, Bareilly / Amount deposit through online payment in the name of Bareilly Smart City Limited, A/C No.: 0294001100000836, Name of Bank: Punjab National Bank, Branch: Pilibhit By-Pass Road, Bareilly, IFSC Code: PUNB0613400 at the time of signing the agreement including EMD deposited along with the bid submission.
- b) The Running Bills shall be entertained only after approx. 15% completion of the project.
- c) If the contractor fails to maintain the project in satisfactory manner then BSCL is free to engage another agency to do the work at the risk and cost of the contractor.
- d) However, BSCL reserves the right to increase the O&M period in consultation with contractor till 5 years with a proper notice. The payment required for O&M for extended period shall have to be decided by the BSCL only.
- 11. Custody of Materials: The contractor shall be responsible for safe custody of his/her/their materials at the work sites and BSCL will not be responsible for any loss or damage of the property at site.

There should not be any conflict of interest or relaxation/exoneration of responsibility of the contractor as per this RFP/Contract, on any account whatsoever, regarding the work(s)/material(s)/property, of BSCL or of, any other agency/organization engaged/allowed by BSCL, available/to be made available/going on/to be started, at or in connection with the work, failing which BSCL-shall adopt any action deemed fit against the contractor with a view to continuing and complete the works. The portion or whole of the work executed by the contractor in connection with this contract shall remain in safe custody, watch & ward of the contractor till the same are handed over by the contractor to BSCL in required shape and manner or till, BSCL takes them over either unilaterally or as per this contract. Responsibility arising out of this safe custody, watch and ward till BSCL declares/assumes its right over the same, shall lie with the contractor. No claim in this regard by the contractor shall be acceptable by BSCL.

12. Supply of Materials:

- i. The contractor shall at his own expenses provide all materials required for the work. The materials supplied by the contractor shall confirm to relevant latest editions of BIS specifications and Codes of Practices or in their absence to other specifications as may be decided by BSCL. The contractor shall furnish necessary certificate(s) in support of the quality of the materials as may be required by BSCL. In the event of there being no specifications born in the SOR of Uttar Pradesh for the items required for the work whether included in the Financial Bid or not, such items of the work shall be carried out by the contractor in accordance with the instructions and requirements of BSCL.
- ii. BSCL shall have absolute authority to test the quality of materials/Equipment at any time through any reputed laboratory at the cost of contractor. The contractor shall not be eligible for any claim or compensation either arising out of any delay in the work or due to any corrective measures required to be taken on account of and as a result of testing of materials. BSCL shall have the right for removal from the work sites, of all specifications and in case of default, BSCL shall be at liberty to sell such materials and/or to employ other persons to remove the same without being answerable or accountable for any loss or damage that may happen or arise to such materials.

13. Statutory Approvals and clearances:

The Contractor shall be liable to undertake all statutory clearances, NOC and approvals from the relevant Local/State/Central/Other statutory authorities for undertaking and executing the project. The Official fee for undertaking these clearances shall be paid / Reimbursed by the BSCL; however, all Incidental expenses shall be borne by the contractor.

14. Contractor to Provide and Facilitate Inspection, Safety Gear, etc:

- i. Inspection: BSCL will have the right to inspect the scaffolding and centering etc. for the work and can reject partly or fully such structure if found defective in his opinion.
- ii. Safe means of Access: Safe means of access shall be provided to all working places.
- Precaution against Electrical Equipment: Adequate precaution shall be taken to prevent danger from electrical equipment. Hand lamps shall be provided with Mesh guard, wherever required.
- iv. Preventing Public from Accident: No materials on any of the sites shall be so stacked or placed as to cause danger or inconvenience to any person or public. The contractor shall provide all necessary fencing and light to protect the public from accident and shall be bound to bear expenses of defense or any suit action or other proceedings at law that may be brought by any persons for injury sustained owning to neglect of the above precaution and to pay any damages and cost which may

be awarded in any such suit action or proceedings to any such person or which may with the consent of the contractor, be paid to compromise any claim by any such person. The contractor not to come cause blockage of traffic/disruption of traffic.

- v. Personal Safety Equipment: All personal safety equipment shall be made adequately available by the contractor for use of persons employed at the site of work and maintained in a condition suitable for immediate use. The contractor shall take adequate steps to ensure proper use of the equipment by persons concerned.
- vi. **Precautions against Fire:** Suitable fire extinguishers, water and sand buckets shall be provided at the work site to tackle situations of fire.
- vii. Demolition: Before any demolition work is commenced and also during process of work;
- No electric cable or apparatus which is liable to be a source of danger shall remain electrically charged.
- All practical steps shall be taken to prevent danger to persons employed from the risk of fire, explosion or flooding.
- No floor roof or other parts of the building shall be over loaded with debris or materials which may render it unsafe.

15. Fair Wages Clause:

The contractor shall not employ for the purpose of this contract any person who is below the age of fourteen years and shall pay to each Labor for work done by such Labor's fair wages.

Explanation- "Fair Wage" means wages, whether for time or piece work prescribed by the State Public Works Department provided that where higher rates have been prescribed under the minimum wages act 1948 wages at such higher rates should constitute fair wages.

BSCL shall have the right to enquire into and decide any complaint alleging that the wages paid by the contractor to any Labor for the work done by such Labor is less than the wages described above.

- 16. Contractor to Respond for Disengagement of Unruly Labor/Personnel: BSCL are to have round the clock access to the work sites during execution and defect liability period. BSCL may require the contractor to remove dismiss any Labor/representative(s) of person of the contractors found to be incompetent or ill-mannered/behaved or of doubtful background/integrity, etc., and the contractor shall comply with such requirements.
- 17. Provisions for Workman Compensation: BSCL shall not be held liable to pay any compensation to any workman under workman's compensation Act, 1923. The contractor shall have to pay the entire compensation as decided in any court of law for any injury/loss sustained by any workman during execution of the work. If, by order of any authority/court, BSCL pays any compensation to honor and abide the order, then said amount(s) shall be recovered from the contractor.
- 18. Contractor to Indemnify BSCL: The contractor shall take every precaution not to damage or injure life and/or property of any person/organization/entity in connection with this work. He shall indemnify and keep BSCL indemnified against all claims for injuries or damages to any person/property which may arise out of or in consequence of any negligence or fault of the selected bidder for this work and, for all the claims, demands, proceedings, damages, costs, charges and expenses whatsoever, in respect of or in relation thereto, the contractor shall be responsible. BSCL

will not assume any responsibility on this account.

- 19. Resident Engineer(s) and Assistant(s): The contractor shall engage for this work with qualified and experienced Resident Engineer(s) and Assistant(s) to the satisfaction of BSCL. The Resident Engineer(s) shall represent the contractor in his/her/their absence for receiving instructions of BSCL which will be binding on the contractor.
- 20. Unilateral Stoppage of Work Progress: Unilateral stoppage of work by the Contractor, without prior written permission of BSCL, shall be considered as breach of contract and BSCL reserves the right to take such actions as it may be deemed fit against the contractor.
- 21. Rescission of Contract: Subject to other provisions contained in this RFP or in the agreement, BSCL may, without prejudice to any other right or remedy available to the contractor in respect of any delay, inferior workmanship, any claims for damages and / or any other provisions of this contract or otherwise, and whether the date of completion has or has not elapsed, rescind the contract in any of the following cases:
- If the contractor having been given by BSCL a notice in writing to rectify, reconstruct or replace any defective work or that the work is being performed in an inefficient or otherwise improper manner shall omit/ fail to comply with the requirement of such notice for a period of seven days thereafter. the security deposit of the contractor shall, thereupon, stand forfeited and be absolutely at the disposal of BSCL and, the same consequences shall be ensured as if the contract had been rescind thereof and in addition the contractor shall not be entitled to recover or to be paid for any work thereof actually performed under the contract.
- II. If the contractor being a company shall pass a resolution or the honorable court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the honorable court or the creditor to appoint a receiver or a manager or which entitle the honorable court to make a winding up order.
- III. If the contractor has, without reasonable cause, suspended the progress of the work with due diligence so that in the opinion of CHIEF EXECUTIVE OFFICER (which shall be final and binding) he will be unable to secure completion of the work by the due date of completion and continues to do so after a notice in writing of seven days from Chief Executive Officer, BSCL.
- IV. If the contractor fails to follow and comply with the relevant provisions this RFP and/or agreement.
- V. If the contractor fails to complete the work within the stipulated date or items of the work with individual date of completion. If any stipulated, on or before such date(s) of completion and does not complete them within the stipulated period.

When the Contractor has made himself liable for action under any of the cases aforesaid, BSCL shall have the power to rescind the contract (of which rescission notice in writing to the contractor under the hand of CHIEF EXECUTIVE OFFICER shall be conclusive evidence), 20% of the value of the left over work will be realized from the contractor as Penalty in addition to other punitive measures deemed fit by BSCL including debarring the contractor from participating in BSCL Tenders at least for 3 years, blocking his/her/their Digital Signature Certificate (DSC) in the e-procurement portal and recommending the corresponding License Issuing Authority not to renew the license of the contractor.

In case of rescission of contract, the contractor shall have no claim for compensation for any loss sustained by him by reasons of having purchased or procured any materials/equipment or entered any engagement on account of or with a view to execute the work/ performance of the contractor.

- 22. Black Listing: A Contractor may be blacklisted for:
 - a) Misbehavior/ threatening of Departmental & supervisory officers during execution of work/tendering process.
 - b) Involvement in any sort of tender fixing.
 - c) Constant non-achievement of milestones on insufficient and imaginary grounds and non- adherence to quality specifications despite being pointed out.
 - d) Persistent and intentional violation of important conditions of contract.
 - e) Security consideration of the State i.e., any action that jeopardizes the security of the state.
 - f) Submission of False/ fabricated/ forged documents for consideration of a tender. In case a contractor is black listed, it will be widely published and intimated to all Departments of Government and also to Govt. of India Agencies working in the State.
- 23. Force Majeure: Neither the contractor nor BSCL shall be considered in default in delayed performance of its obligation if such performance is prevented or delayed because of work to hostilities, revolution, civil commotion, epidemic, accidental fire, cyclone, flood, earthquake or because of any law and order proclamation, regulations or ordinance of the Government thereof or because of an act of god or for any cause beyond reasonable control of the party affected. Should one or both the parties be prevented from fulfilling their contractual obligations due the aforesaid a state of force majeure lasting continuously for a period of 6 months, the two parties may consult each other regarding the further execution of the contract for mutual settlement.
- 24. Jurisdiction for Legal Dispute: That for the purpose of jurisdiction in the event of issue, if any, the contract should be deemed to have been entered in front of CEO, Bareilly Smart City Limited, Bareilly will be final authority to resolve the dispute.

RFP PART-1: SECTION-IV

SCOPE OF WORK

The bidder is required to undertake the following Scope of work for renovation of Existing Nagar Nigam Library as Digital Library: -

The bidder needs to renovate the existing Nagar Nigam Library by doing civil, electrical work, flooring, and furniture and library supplies as per the specifications mentioned in RFP or as required for the optimal environment.

The project is to renovate the building with modern features to facilitate the students and citizens of the city. The library floor has 3 halls, the main hall in the center has the main physical library with majority of the bookshelves and seating spaces along with the digital library which contains computers all over which are all connected to the digital library (E-Granthalaya) catalogue. The two halls on the left and right are more of traditional library spaces with bookshelves, newspaper and magazine stands. There is also provision for sitting and reading in the library tables and standing and reading newspapers in the newspaper stands. There will also be supervisor tables on either side with server shelves and new toilets. The existing toilet in this floor will be replaced with two separate toilets for male and female.

Contractor shall prepare the detailed shop drawings for construction and submit the same for the approval of BSCL. All existing survey information shall be made available to the successful bidder. However, should there be a requirement for any further survey work, and then the contractor shall be liable to get it done at his own cost.

Broad scope of work (not limited to) is follows: -

Renovation of the civil & electrical infrastructure for the Digital Library Setup

- a. Renovation of the existing library as per specifications.
- Incorporating all the security features to avoid theft and vandalism like grills, lockable doors / windows and cabling for CCTV.
- c. Establishing the desired electrical infrastructure to support all the equipment's.
- Provision of adequate and standard robust furniture and fittings for the library with air conditioning.

Civil Works

Scope

Civil renovation of the library should be as per drawings and specifications as stated in DPR. The Contractor shall carry out, and be responsible for the execution of repair and renovation civil Works that includes reconstruction of Slab, Electrical, Plumbing, Interior etc.

- Masonry.
- Plastering.
- Wooden flooring and paneling.
- Wooden work including doors windows and furniture with anti-termite treatment.
- False ceiling for all 3 halls
- · Structural Steel work.

• Dismantling the existing roof, clearing of rubble and construction of new roof slab with water proofing.

Plumbing work

Scope

The Scope of works shall cover the complete Plumbing system including drainage and water supply including Sewerage, Storm water drainage. The scope includes all the related things like procurement, manufacture, testing at manufacturers' works, packaging, transportation, shipping, unloading at port, transportation to site, unloading, storage, insurance, transportation from stores to erection site etc.

ELECTRICAL, NETWORKING AND CCTV WIRING AND EQUIPMENTS

The bidder has to undertake cabling for electrical, networking and CCTV, Inverter (of ISI marked & branded) for all electrical and IT equipment's like PCs, DVR and Inverter etc. in library.

Electrical wiring would also include proper earthing arrangements. Wiring (All equipment's/appliances /fittings should be ISI/ISO certified).

The Cat 6 Cable needs to be installed with proper care so that proper networking is done to make the Internet work properly.

The electrical wiring and ducting for the electrical wiring will be done by the bidder in such a way that it should give an aesthetic look.

Procurement and installation of Networking Cabling, Computers and other Equipment

- a. 'Structured' cabling as per the industry standards where ever required.
- b. Network Rack with Jack Panel, I/O Ports, PDU (Power Distribution Unit), Patch Cords, Complete.

DEFECT LIABILITY AND OPERATION PERIOD

- The Defect Liability Period will be of one year.
- 2. The operation period will be of One year (Including one year of Defect Liability Period) and will start only after the date of successful commissioning & functioning of the project, as specified in the Special Conditions of Contract.
- 3. During the DLP period of the products given by the successful bidder, the bidder shall give assurance that goods to be supplied shall be new and free from all defects and faults in material, workmanship, and manufacture and shall be of the highest grade and consistent with the established and generally accepted standards for materials of the type ordered and shall perform in full conformity with the specifications and drawings. The bidder shall be responsible for any defects that may develop under the conditions provided by the bidder and under proper use, arising from faulty materials, design or workmanship such as corrosion of the equipment, inadequate contact protection, deficiencies in circuit design and or otherwise and shall remedy such defects at his own cost when called upon to do so by the tenderer.
- 4. If it becomes necessary for the bidder to replace or renew any defective portion/portions of the equipment under this clause, the provisions of the clause shall apply to the portion/portions of equipment's replaced or renewed or until the end of the abovementioned period of 36 months, whichever may be later. If any defect is not remedied within

48 hours, then the penalty will be laid as per penalty clause. The Purchaser may proceed to get the work done at the Supplier's risk and expenses, but without prejudice to any other rights which the Purchaser may have against the Supplier in respect of such defects.


Replacement under warranty clause shall be made by the Supplier free of all charges at site including freight, insurance and other incidental charges.


MONITORING SYSTEM:


A Project Monitoring Unit (PMU) will be setup in the BSCL for monitoring of the Project to make it successful and sustainable and to ensure that the sts are in good condition.


- a) Chief Executive Officer, BSCL shall appoint a Nodal officer for the project for the purpose of overall monitoring of the project.
- b) The Bidder shall provide one office for the client and consultant which includes Furniture, Almirah, AC, Fan, Lights etc. The Bidder shall be responsible for organizing all logistics required for this site visit.


TENDER DRAWINGS:











RFP PART-1: SECTION-V

SPECIAL CONDITIONS OF THE RFP/CONTRACT

- The stipulated date of commencement of the work shall be the date on which the agreement is signed/ executed/ drawn between BSCL & the contractor.
- The contractor shall not be entitled to any compensation on account of delay in locating the sites by BSCL or due to any natural calamity or Labor unrest or non-availability of Labor, theft of materials or any kind of force majeure situation, etc.
- 3. If the contractor could not achieve proportionate progress with respect to time, then BSCL shall have the right to take any action deemed fit against the contractor as per the agreement and/or PWD Code including rescind of contract, levy of penalty, etc. In case of non-cooperation/deliberate delay either required quality and progress/unnecessary or uncalled for correspondence(s) embedded with condition(s)/instruction(s) not commensurate with the explicit condition(s) of the agreement by the contractor for the work, BSCL shall not only have the right to rescind the contract but also to execute either the whole or balance portion of the work through any other mode, as deemed fit by BSCL and the excess expenditure incurred, if any, for execution of the same, shall be recovered from the contractor resorting to the procedures deemed fit by BSCL. The employer (BSCL) also reserves the right whether to respond or not to the correspondence(s)/queries of the contractor or any other Organization/ Entity regarding this work and/or the conditions/instructions associated with this work.
- 4. The decision of BSCL regarding the reasons for delay, if any, in completion of the work shall be final and binding on the contractor. If the CHIEF EXECUTIVE OFFICER, BSCL is not satisfied regarding the genuineness of delay for progress and/or completion of the work, then he/she may impose penalty upon the contractor Rs. 10,000 (Ten thousand rupees) per day for delay of the work not exceeding 10% of the total project cost.
- 5. BSCL reserves the right, to make such increase or decrease in the quantities and/or items of the work which are considered necessary during the course of execution. Such increase or decrease shall be at the discretion of BSCL and in no case, shall validate the contract except the corresponding financial involvement admissible by/acceptable to BSCL.
- 6. Extra item and/or quantities of the work, if found essential for the project, shall be covered under supplementary agreement to be drawn between the contractor and BSCL. The rate(s) for such item(s) and quantity(s) shall be the prevailing Govt. of Uttar Pradesh Schedule of Rates (SOR) of PHEO & Works Dept. or local market rate(s) or DSR, as applicable for the items/components not covered under SOR subject to approval of CHIEF EXECUTIVE OFFICER, Bareilly Smart City Limited, Bareilly.
- 7. The successful bidder shall not cause any damage to the BMC property i.e. BMC / PAN City either by himself or through his employees. The successful bidder shall repair immediately, at his own cost, the damages that may have been caused to the wall / boundary / gate / advertisements etc. as a result of negligence during the renovation of Library. The decision of BSCL will be final and binding upon the successful bidder with regard to liability and quantum of damages to be paid by him.

- 8. The contractor shall put his/her/their signature in the measurement book(s) and bill(s) (before payment) as a token of acceptance of the quantities, specifications, rates and amounts of the bill(s) and no further claim in this regard shall be entertained by the BSCL.
- a) The actual date of completion of the original work and corresponding date of commencement and completion of defect liability period shall be noted/declared/notified/intimated by BSCL from time to time and the same shall be binding upon the contractor.
- b) The EMD & Security Deposit(s) (SD) retained by BSCL from the contractor's bill shall be considered for release subject to fulfilment of all the conditions of the RFP/ Agreement and after checking/scrutiny of the files and expenditures by Local Finance Audit and shall be subject to deductions/recovery of any amount(s) pointed out by Audit.
- c) No interest will be paid by BSCL on the EMD furnished by any bidder & on the SD of the contractor and on the amount(s) to be withheld/deducted by BSCL from the bill amount(s) if the contractor or upon delay in release of payment(s) or release of deposit(s) of the bidder(s)/contractor.

No claim in this regard in any manner by the contractor or any organization/entity shall be entertained/ accepted by CHIEF EXECUTIVE OFFICER, BAREILLY SMART CITY LIMITED, BAREILLY.

FORMAT FOR PROPOSAL

ANNEXURE-II

CERTIFICATE OF NO RELATIONSHIP

I/We hereby certify that I/We* am/are* related /not related (*) to any officer of Bareilly Smart City Limited, Bareilly of the rank of Assistant Engineer & above. I/We* am/are* aware that, if the facts subsequently proved to be false, my/our* contract will be rescinded with forfeiture of E.M.D and security deposit and I/We* shall be liable to make good the loss or damage resulting from such cancellation.

I/We also note that, non-submission of this certificate will render my/our tender liable for rejections.

SIGNATURE OF THE BIDDER

(*) - Strike out which is not applicable

AFFIDAVIT

(Applicable for All Bidders)

(On Non – Judicial Stamp paper of Rs 100 duly attested by Notary)

| 1. | I, Shri/Smt/Ms, Son/daughter/Wife of, hereby declare as the contractor/as the authorized signatory on behalf of the contractor," | | |
|----|---|--|--|
| | | | |
| 2. | It is hereby declared that I/We are currently not deprived from tendering in any govt. organization including BSCL and I/We have furnished the required eligibility documents as a valid tenderer for the above-mentioned work. | | |
| 3. | The undersigned also hereby certifies that neither our firm M/snor any of its Directors have abandoned any contract/work or blacklisted by any State/Central Govt. agencies/ BSCL in participating from any bidding/tendering process. | | |
| 4. | The undersigned understands and agrees that further qualifying information may be requested, and agrees to furnish any such information at the request of the BSCL. | | |
| 5. | . The undersigned hereby authorize(s) and request(s) any bank, person, firm or Corporation to furnish pertinent information deemed necessary and requested by BSCL to verify this statement or regarding my (our) competence and general reputation. | | |
| 6. | I/We hereby declare that all the information and documents furnished herewith by me/us in connection with my/our tender for the work "RENOVATION NAGAR NIGAM LIBRARY INTO DIGITAL LIBRARY UNDER BAREILLY SMART CITY LIMITED WITH 1 YEAR DEFECT LIABILITY AND 1 YEAR OF OPERATION" vide Bid Reference | | |
| 7. | My/Our present address for correspondence is and my/our telephone/contact | | |
| | Number isand e-mail ID for correspondence is | | |
| | I/We shall promptly intimate the Tender inviting Officer (Chief Executive Office, BSCL) for subsequent changes, if any, of my /our telephone number, email ID and address for correspondence within a week from the date of occurrence of such incident falling which, I/ We will be held responsible for any eventual delay/gap in communication(s) between me/us and BSCL and subsequent situation may arise due to such delay/gap. | | |
| | | | |
| | (Deponent) | | |
| | (Signature of the Bidder/ Authorized Signatory of Company with Seal of the Firm/Company) | | |

BANK GUARANTEE

| Ref: | Date |
|---|----------|
| Bank Guarantee No | |
| | |
| <name></name> | |
| <designation></designation> | |
| <address> <phone nos.=""> <fax nos.=""> <e< th=""><th>mail id></th></e<></fax></phone></address> | mail id> |

Whereas, <<name of the firm and address>> (hereinafter called "Implementing Agency") has undertaken, in pursuance of contract no. <Insert Contract No.> dated. <Date> to provide Implementation services for <<name of the assignment>> to Bareilly Smart City Limited (hereinafter called "the Authority")

And whereas it has been stipulated by in the said contract that the bidder shall furnish you with a bank guarantee by a recognized bank for the sum specified therein as security for compliance with its obligations in accordance with the contract;

And whereas we, <Name of Bank> a banking company incorporated and having its head/registered office at <Address of Registered Office> and having one of its office at <Address of Local Office> have agreed to give the supplier such a bank guarantee.

Now, therefore, we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of Indian Rupees<Insert Value> (Rupees <Insert Value in Words> only) and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of Indian Rupees<Insert Value> (Rupees <Insert Value in Words> only) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the bidder before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the Implementing Agency shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This Guarantee shall be valid until << Insert Date>>) Not withstanding anything contained herein:

- Our liability under this bank guarantee shall not exceed India Rupees<Insert Value>
 (Rupees <Insert Value in Words> only).
- ii. This bank guarantee shall be valid up to <Insert Expiry Date>)

| under this bank guarantee | y for payment of the guaranteed amount or any part thereof arising that we receive a valid written claim or demand for payment under |
|--|--|
| this bank guarantee on or guarantee will automatically | before <insert date="" expiry="">) failing which our liability under the cease.</insert> |
| Date | |
| Place | Signature |
| Witness_ | Printed name |
| (Bank's common seal) | |

BID SUBMISSION LETTER FORMAT

| Date: | |
|-------|---|
| Date: | *************************************** |

To,

Chief Executive Officer
Bareilly Smart City Limited,
Nagar Nigam,
Bareilly-243001,

Uttar Pradesh.

Subject: Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation

Sir,

I/We, the undersigned Bidders, having read and examined in detail the specifications and other conditions in tender document in respect of civil Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation, submit the following information/undertaking/declaration for consideration of the BSCL.

1. Price and Validity

- 1.1 All the prices mentioned in our financial bid are in accordance with the terms as specified in tender document. All the prices and other terms and conditions of this proposal are valid for a period of 120 Days from the last date of submission of bids.
- 1.2 We do hereby confirm that our bid prices include all taxes and cess.

2. Earnest Money Deposit

The scanned copy of transaction slip of Amount of Earnest Money deposited (EMD): ₹ 1,50,000/- online or through Bank Guarantee should be uploaded with technical bid.

3. Bid Pricing

We further declare that the RATES stated in our proposal are in accordance with your terms & conditions in the tender document.

5. Qualifying Data

We confirm having submitted in qualifying data as required by you in your tender document. In case, you require any further information/ documentary proof in this regard before evaluation of our bid, we agree to furnish the same in time to your satisfaction.

6. Declarations

I/We have also carefully read the terms and conditions of the tender document and undertake that I/we shall abide.

I/We accept to the conditions mentioned in the tender document for the Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation as per the scope of work.

I/ We possess the necessary professional, technical, financial and managerial resources and competence

required by the tender document issued by the Bareilly Smart City Limited, Bareilly.

I/ We have fulfilled obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the tender document.

I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/ our affairs administered by a court or a judicial officer, not have my/ our business activities suspended and not the subject of legal proceedings for any of the forgoing reasons.

I/We hereby declare that our proposal is made in good faith, without collusion or fraud and the information contained in the proposal are true to the best of our knowledge and belief and nothing has been concealed there from.

I / We...... hereby confirm that our firm has not been banned or blacklisted by any government organization/Financial institution/Court /Public sector URFP /Central Government.

I/We hereby confirm to the renovation of Renovation Nagar Nigam Library in Digital Library with comprehensive warranty and other terms & conditions mentioned in the tender document.

Bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration and replacement.

We understand that you are not bound to accept the lowest or any bid you may receive.

Thanking you,

Yours faithfully,

Place:

Name.....

Designation:

Business Address.....

FORMAT FOR TECHNICAL BID

Profile of the Bidder

- 1. Name of Bidder (in Block Letters) (Proprietorship/Partnership Firm/Company/Society)
- 2. Name of the Authorized Representative of the Bidder
- 3. Address of the Bidder
- 4. (Proprietorship/Partnership Fire Company/Society)
- 5. Father's/Husband's Name of the Authorized Representative
- 6. Complete Residential Address of the Authorized Representative
 - a. Existing
 - b. Permanent
 - c. Telephone (Res./Office)
 - d. Mobile No.
 - e. e-mail
- Documentary proof regarding year and place of the establishment of the Company.
- 8. Former name of the company, if any and how many years has your organization been in business under your present name?
- Limited company or limited corporation member of a group of companies (if yes, give name and address, and description of other companies)
- Subsidiary of a large corporation (if yes give the name and address of the parent organization). If the company is subsidiary, state what involvement if any, will the parent company have in the project.
- 11. Is the firm registered with sales tax department? If yes, submit valid sales tax registration certificate.
- 12. Is the firm registered for service tax with Central Excise Department (Service Tax Cell)? If yes, Submit valid service tax registration certificate.
- 13. Is the firm registered under Labor Laws Contract Act? If yes, submit valid registration certificate.
- 14. Is your organization having ISO/or any other certification? If so, attach copies of the certificates.
 State details, if certified by bodies, other than that stated.
- 15. Do you have a local representation /office in Bareilly? If so, please give the address and the details of staff, infrastructure etc. in the office and no. of years of operation of the local office
- 16. The scanned copy of transaction slip of Amount of Earnest Money deposited (EMD): Rs. 1,50,000/- online or through Bank Guarantee should be uploaded with technical bid.

All other Annexure, self-attested copies of the documents to be submitted with the bid as scanned copies and uploaded on e-tendering portal.

| Date: - | |
|---------|------|
| Bidder | Name |

Financial bid format

To,

The Chief Executive Officer,
Bareilly Smart City Limited,
Bareilly

Sub: Financial Bid for Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation

I/we hereby tender to execute the whole of the works as described in the scope of services indicated in called works:

Name of the Work: "Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation".

- a) Location Plan and Specifications: The location plan and specifications as detailed in bid document and DPR.
- b) Scope as defined in NIT part I under Section V

The BSCL reserves the right to increase and decrease the number of locations. The payment shall be made as per the terms of RFP Document.

The Financial quote shall be submitted as per the format given below:

The above tender is hereby accepted by me on behalf of the Bareilly Smart City Limited, Bareilly.

| | Help | |
|---|----------|--|
| - | | |
| | Print | NAMES OF THE PERSON OF THE PER |
| | | |
| | Validate | The Party of the P |
| | | |

Percentage BoQ

Name of the Bidder/ Bidding Firm / Company:

| SI. No. | | # | The same | | œ | | |
|--|---|----------|----------|-------------------------------|-------------|---|-------------------------------|
| | Item Description | Quantity | Units | Estimated Rate in Rs. P | GST @12% | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT With Taxes |
| 1 | 2 | 4 | ı, | 9 | 15 | 53 | 54 |
| 2 DEMOLITION & DISMANTLING | SMANTLING | | | | X V | THE WATER | |
| Dismantling reinford brick work, including directed by enginee | Dismantling reinforced cement concrete or reinforced brick work, including stacking of dismantled materials as directed by engineer-in-charge with in a distance of 60 m | 35.00 | cnm | 950.00 | 3990 | 33,250 | 37,240 |
| 4 Dismantling brick w mortar and includin engineer-in-charge | Dismantling brick work or stone work in lime or cement mortar and including stacking of materials as directed by engineer-in-charge with in a distance of 60 m (200ft) | 10.00 | cnm | 450.00 | 540 | 4,500 | 5,040 |
| 5 with holdfast and in material as directed distance of 60m | Dismantling of doors and windows including chowkhats with holdfast and including stacking of dismantled material as directed by the engineer in charge within a distance of 60m | 15.00 | each | 64.00 | 115 | 960 | 1,075 |

| 538 | 2,055 | 10,080 | 13,720 | | | 1,46,860 | 64,120 | | 3,65,120 |
|---|--|---|---|-------------------|---|--|---|---------------|---|
| 480 | 1,835 | 000′6 | 12,250 | | | 1,31,125 | 57,250 | | 3,26,000 |
| 28 | 220 | 1080 | 1470 | | | 15735 | 0289 | | 39120 |
| 32.00 | 3.67 | 50.00 | 35.00 | | | 5245.00 | 5725.00 | | 6520.00 |
| each | kg | wbs | mbs | | | ber cum | per cum | | per cum |
| 15.00 | 200:00 | 180.00 | 350.00 | | | 25.00 | 10.00 | | 50.00 |
| Dismantling of doors and window leaves including stacking of dismantled material as directed by the engineer in charge within a distance of 60m | Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50metres lead. | Dismantling cement concrete or brick or granolithic floors, including base concrete & including stacking dismantled materials as directed by the Engineer-in-charge with in a distance of 60 mt (200 ft). | Dismantling existing plaster Including disposal of refuses as directed by the Engineer-in-charge with in a distance of 60 metre (200ft) | SH-2 MASONRY WORK | First class brickwork in 1:6 cement and coarse sand mortar in foundation and plinth including supply of all materials, labour and T&P etc. required for proper completion of the work | As in item no 303&304 above but in superstructure, including necessary cutting and moulding of bricks as required and including honey comb brick work, thickness of wall not to be less 1 brick thick. Add extra labour to above items | As in item no. 309 above but for wall of half brick (4½") thick. Add for extra item over item 309 | CONCRETE WORK | Providing and laying in Cement concrete 1:4:8 (1 Cement: 4 approved Coarse sand: 8 Coarse aggregate) size of aggregate shall be 4cm gauge or as approved including supply of all material labor, T&P etc. required for proper completion of the work. |
| 9 | 7 | 00 | 6 | 10 | 11 | 12 | 13 | 14 | 15 |

| 27 | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including pointing the joints with white cement and matching pigment etc., complete. | 90.09 | wbs | 820.27 | 2906 | 49,216 | 55,122 |
|----|--|--------|-----|--------------|----------|----------|----------|
| 28 | 25 mm wooden planking, tongued and grooved in flooring, including fixing with iron screws complete with : Second class deodar wood sqm | 135.00 | sqm | 2441.59 | 39554 | 3,29,615 | 3,69,169 |
| 29 | Granite of any colour and shade | | | | | | |
| 30 | Area of slab up to 0.50 sqm | 10.00 | mbs | 3732.17 | 4479 | 37,322 | 41,801 |
| 31 | Area of slab over 0.50 sqm | 30.00 | wbs | 3546.59 | 12768 | 1,06,398 | 1,19,166 |
| 32 | WATER PROOFING | | | The Contract | E TO S V | S. M. W. | |

| 33 | Providing and laying in situ seven course water proofing treatment with APP (Atactic Polypropylene) modified Polymeric memberane over roof consisting of first coat of bitumen primer @ 0.40 Kg per sqm, 2nd, 4th & 6th courses of bonding material @ 1.20 kg/sqm, which shall consist of blown type bitumen of grade 85/25 conforming to IS: 702, 3rd and 5th layers of roofing membrane APP modified Polymeric membrane 2.0 mm thick of 3.00 Kg/sqm weight consistingof five layers prefabricated with centre core as 100 micron HMHDPE film sandwiched on both sides with polymeric mix and the polymeric mix is protected on both side with 20 micron HMHDPE film. 7th, the top most layer shall be finished with brick tiles of class | 200.00 | wbs | 576.55 | 13837 | 1,15,310 | 1,29,147 |
|--------|---|--------|-----|----------|-------|----------|----------|
| | : 3 fine sand) mixed with 2% integral water proofing compound by weight of cement over a 12 mm layer of cement mortar 1:3 (1 cement : 3 fine sand) and finished neat (item of laying brick tiles shall be paid for separately). | | | | | | |
| 34 | DOOR WINDOW | | | 1 | | | |
| 35 | Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). | | | | | | |
| 36 | Kiln Seasoned and chemically treated Hollock wood | 3.00 | CUM | 63492.39 | 22857 | 1,90,477 | 2,13,334 |
| 37 | Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:-Butt hinges and necessary screws shall be paid separately) | | | | | | |
| 38 | Second class teak wood | | | | | | |
| OlPage | THE REPORT OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED | | | | | | |

| 39 | 35 mm thick shutters | 20.00 | wbs | 3197.65 | 7674 | 63,953 | 71,627 |
|----|--|-------|------|--------------|-------|----------|----------|
| 40 | Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick: | | | | | | |
| 41 | Second class teak wood | 20.00 | mbs | 2603.81 | 6249 | 52,076 | 58,325 |
| 42 | Float glass panes | | | | | | |
| 43 | 4 mm thick glass pane (weight not less than 10 kg per sqm) | 80.00 | mps | 1586.33 | 15229 | 1,26,906 | 1,42,135 |
| 44 | Providing and fixing IS: 12817 marked stainless steel butt hinges (heavy weight) with stainless steel screws etc. complete: | | | | | | |
| 45 | 125x64x2.50 mm | 10.00 | each | 84.87 | 102 | 849 | 951 |
| 46 | 100x60x2.50 mm | 20.00 | each | 68.41 | 164 | 1,368 | 1,532 |
| 47 | providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: | | | | | | |
| 48 | 75x45x3.2mm | 80.00 | each | 58.85 | 292 | 4,708 | 5,273 |
| 49 | Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete: | | | | | | |
| 50 | 250x10 mm | 4.00 | each | 330.66 | 159 | 1,323 | 1,482 |
| | | | | STATE OF THE | | | |

| providing and fixing bright finished brass handles with screws etc complete 125 mm Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete. DECK BLINDS Fabric - polyester Vertical blinds with slat width 25 mm and slat thickness 1 mm, fire retardant, one way draw, teflon fabric protector, stainless steel frame material FINISHING WORK 12 mm Thick plaster with kankar lime over brick minimum thickness not to be less than 3/8" (10mm) thick including supply of all materials, labour and T&P etc. required for proper completion of the work above but with cement and coarse sand mortar(1:6) Add for extra labour and material for plaster over rough face of brick walls Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers | finished brass handles with finished brass hanging type cessary screws, etc. complete. ster Vertical blinds with slat mess 1 mm, fire retardant, one tector, stainless steel frame ankar lime over brick minimum | 10.00 | | | | | |
|--|--|--------|---------|--------|-------|--------|----------|
| | finished brass hanging type cessary screws, etc. complete. ster Vertical blinds with slat mess 1 mm, fire retardant, one tector, stainless steel frame ankar lime over brick minimum | 10.00 | | | | | |
| | finished brass hanging type cessary screws, etc. complete. ster Vertical blinds with slat mess 1 mm, fire retardant, one rector, stainless steel frame ankar lime over brick minimum | 10.00 | each | 181.11 | 217 | 1,811 | 2,028 |
| | iness 1 mm, fire retardant, one rector, stainless steel frame ankar lime over brick minimum | 00 00 | each | 94.42 | 113 | 944 | 1,057 |
| | ankar lime over brick minimum | 050.00 | sqft | 82.00 | 8069 | 67,240 | 75,309 |
| | ankar lime over brick minimum | | | | | | |
| | in 3/8" (10mm) thick including our and T&P etc. required for vork | | | | | | |
| | d coarse sand mortar(1:6) | 520.00 | mbs rad | 175.00 | 10920 | 91,000 | 1,01,920 |
| | aterial for plaster over rough | 520.00 | per sqm | 14.00 | 874 | 7,280 | 8,154 |
| | Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications: | | | | | | |
| Two or more coats applied on walls @ 1.25 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr/10 sqm | | 520.00 | Sqm | 125.84 | 7852 | 65,437 | 73,289 |
| 62 Neat cement Punning | A CALL OF THE PARTY OF THE PART | 520.00 | mbs | 40.00 | 2496 | 20,800 | 23,296 |
| 63 6 mm cement plaster of mix : CEILING PLASTER | ix: CEILING PLASTER | | | | | | |

| 45,067 | 2,464 | 3,360 | 13,440 |
|------------------------------|--|--|---|
| 40,238 | 2,200 | 3,000 | 12,000 |
| 4829 | 264 | 360 | 1440 |
| 201.19 | 22.00 | 30.00 | 120.00 |
| mbs | mbs | wbs | mbs |
| 200,002 | 100.00 | 100.00 | 100.00 |
| 1:3 (1 cement : 3 fine sand) | Applying priming coat over new steel and other metal surfaces upto 10 cm in width or girth or small articles not exceeding 0.10 Sq. area after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and scoured with wire brushes, fine steel wood Scrapper and papering and knotting including cost of all materials, labour, T & P etc required for proper completion of work | Painting 1st coat over priming coat (but excluding cost of priming coat) on wood ,steel and other metal surfaces superior synthetic enamel such as Luxol 3, Higloss apcolite superlac, Deluxe specified brushing to give an even shade and finish and including cleaning the surface of all dirt, dust and other foreign matter sand papering and stopping including cost of all materials labour tools and plants etc required for the completion of work | Providing and fixing chicken wire mesh in plaster in ceiling and wall plaster complte |
| 64 | 65 | 99 | 29 |

| 2323 19,360 21,683 | 45000 3,75,000 4,20,000 | |
|--|---|---------------|
| 387.20 | 3750.00 | |
| >>> | mbs | |
| 20.00 | 100.00 | |
| proofing treatment to RCC structures like basement raft, retaining walls, reservior, sewage & water treatment proofing treatment to RCC structures like basement raft, retaining walls, reservior, sewage & water treatment plant, tunnels / subway and bridge deck etc. at the time of transporting of concrete into the drum of the ready-mix truck, using integral crystalline admixture @ 0.80% (minimum) to the weight of cement content per cubic meter of concrete) or higher as recommended by the manufacturer's specification in reinforced cement concrete at site of work. The material shall meet the requirements as specified in ACI-212-3R- 2010 i.e. by reducing permeability of concrete by more than 90%, compared with control concrete as per DIN 1048 and resistant to 16 bar hydrostatic pressure. The crystalline admixture shall be capable of self-healing of cracks up to a width of 0.50mm. The work shall be carried out all complete as per specification and the direction of the Engineer-in-charge. The product performance shall carry guarantee for 10 years against any leakage. | Providing and fixing wooden wall panelling with veneer and polish complete. | FALSE CEILING |
| 89 | 69 | 70 |

interval, including fixing of gypsum board to ceiling section manufacturer's specification and also including the cost of spacing of 1200 mm centre to centre, to which the ceiling wide x 1.6 mm thick with flanges of 27 mm and 37mm, at of 25x10x0.50 mm of required length with nuts & bolts of and perimeter channel with the help of dry wall screws of tapered flanges of 26 mm each having lips of 10.5 mm, at connecting clips made out of 2.64 mm dia x 230 mm long making openings for light fittings, grills, diffusers, cutouts sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as 1200 mm centre to centre, one flange fixed to the ceiling dia bolts, other flange of cleat fixed to the angle hangers made with frame of perimeter channels suitably fixed, all intermediate G.I. channels 45x15x0.9 mm running at the the Engineer in Charge but excluding the cost of painting complete as per drawings, specification and direction of with dash fastener 12.5 mm dia x 50mm long with 6mm finishing to a flush finish of tapered and square edges of layers covering up to 150 mm on both sides of joint and per IS: 277 and consisting of angle cleats of size 25 mm channels 0.5 mm thick 27 mm high having flanges of 20 required size and other end of angle hanger fixed with Providing and fixing false ceiling at all height including size 3.5 x 25 mm at 230 mm c/c, including jointing and mm and 30 mm long, the perimeter of ceiling fixed to 450 mm centre to centre, shall be fixed in a direction G.I. wire at every junction, including fixing perimeter jointing tapes, finishing with jointing compound in 3 wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm providing and fixing of frame work made of special section 0.5 mm thick bottom wedge of 80 mm with the board with recommended jointing compound, perpendicular to G.I. intermediate channel with two coats of primer suitable for board, all as per

| - | | | | | |
|--|--|----------------|--|---|---|
| 2,93,208 | 99,676 | | | 9,876 | |
| 2,61,793 | 986'88 | | | 8,818 | |
| 31415 | 10680 | | | 1058 | |
| 1138.23 | 42.00 | | | 4409.00 | |
| wbs | wbs | | | each | |
| 230.00 | 2,118.95 | | | 2.00 | |
| 12.5 mm thick tapered edge gypsum moisture resistant board | Providing and fixing internal wall panels on Light gauge steel frame work with 12.5mm thick gypsum plaster board conforming IS 2095;2011 fixed on 8mm thick fiber cement board conforming to IS 14862;2000 of category III type B (High pressure steam cured) as per standard sizes fixed with self-drilling / taping screws / fasteners @ 60cm c/c of approved make, Screws shall be of counter sunk rib head of 1.60mm to 4 mm thick of 8 to 10 gauge of length varying from 25 to 45 mm. Proper taping and jointing to be done using fiber mesh tape and epoxy and acrylic based jointing compound for seamless finish.(cost of frame work to be paid for separately) | PLUMBING WORKS | Providing and fixing white vertreous china pedastal type water closet (european type) with seal and lid, 10 litre low level white vitreous china flusing cistern & C.P flush bend with fitting & C.I. brackets, 40mm flush bend, overflow arrangement with special of standard make and mosquito proof coupling of approved municipal design complete including painting of fitting and brackets cutting and making good the walls and floors wherever required: | W.C. pan with ISI marked white solid seat and lid . | Provinding and fixing white vetreous china flat back or wall corner type lipped front urinal basin of 430 X 260 X 350mm and 340 X 410 X 265mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: |
| 72 | 73 | 74 | 75 | 76 | π |

| 78 | One urinal basin wit 5 litre white P.V.C automatic flushing cistern | 1.00 | each | 2968.14 | 356 | 2,968 | 3,324 |
|----|---|-------------|--------|----------|-----|-------|-------|
| 79 | Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- | | | | | | |
| 80 | White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer each | 2.00 | each | 3897.17 | 935 | 7,794 | 8,729 |
| 81 | Providing and fixing PTMT Bottle Trap for Wash basin and sink. | | | | | | |
| 82 | Bottle trap 31mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms | 2.00 | each | 296.68 | 71 | 293 | 664 |
| 83 | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C waste fitting complete | | | | | | |
| 84 | 40mm dia (flexible pipe) | 2.00 | each | 63.72 | 15 | 127 | 142 |
| 88 | Providing and fixing 600 X 450mm bevelled edge mirror of superior glass (of approved quality) complete with 6mm thick hard board ground fixed to wooden cleats wiyh C.P. brass screws and washers complete. | 2.00 | each | 693.81 | 167 | 1,388 | 1,555 |
| 98 | Providing and fixing toilet paper holder: | | | | | | |
| 87 | C.P. brass | 2.00 | each | 326.55 | 78 | 653 | 731 |
| 88 | ELETRICAL | STATISTICS. | Sale S | Di Sunta | | | |

| 13,328 | 43,680 | 00 | 230 | 16 | 01 | 16 | 16 |
|--|--|--|---|----------------|---------------------------|---|---|
| 13,5 | 43,6 | 8,400 | 52,530 | 2,616 | 4,401 | 7,616 | 4,816 |
| 11,900 | 39,000 | 7,500 | 46,902 | 2,336 | 3,929 | 6,800 | 4,300 |
| 1428 | 4680 | 006 | 5628 | 280 | 472 | 816 | 516 |
| 295.00 | 650.00 | 125.00 | 234.51 | 116.81 | 98.23 | 340.00 | 215.00 |
| each | each | each | meter | Each | Each | each | each |
| 20.00 | 90.00 | 00.09 | 200.00 | 20.00 | 40.00 | 20.00 | 20.00 |
| Wiring point for fan / fesh air fan (light duty exhaust fan) with FRLSH PVC conduit with 1.5 sq.mm insulated multistrand single core copper conductor cable as earthwire drawn inside the conduit, complete with 14 SWG copper earth continuity wire, piano type switch & ceiling rose on 3 mm thick phenolic laminated backelite sheet etc complete in all respect, including matching colour | Wiring point for light with PVC conduit with 1.5 sq. mm.FRLSH PVC insulated multistrand single core copper conductor cable as earthwire drawn inside the conduit, complete with 14 SWG copper earth continuity wire, piano type switch & ceiling rose/angle/batten holder on 3 mm thick phenolic laminated backelite sheet etc., complete in all respect, as directed including matching colour. | Add for light / fan points with modular type switch in place of piano type switch. | Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required. | 15/16 A switch | 3 pin 5/6 A socket outlet | Supply and fixing of power plug with 15A/250 volt flush type switch and 5 pin 15A/250V flush type universal socket in suitable M.S. box of 175mm x 100mm x 50mm size with phenolic laminated bakelite sheet cover 3mm thick fixed with brass machine screw and cup washer | Add for plug point with modular switch & socket in place of piano type switch & socket. |
| 68 | 06 | 91 | 92 | 83 | 94 | 95 | 96 |

| 76 | 3 pin 5/6 A socket outlet | 40.00 | Each | 98.23 | 472 | 3,929 | 4,401 |
|-----|---|-------|------|---------|-------|--------|----------|
| 86 | Supply and fixing of electronic fan regulator(Modular) 120-280 V. ISI marked, on the existing switch board including making connections, required material, labour T&P etc. for proper completion of work to the satisfaction of Engineer in charge of work. | 20.00 | each | 675.00 | 1620 | 13,500 | 15,120 |
| 66 | Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required. | 20.00 | Each | 28.32 | 89 | 995 | 634 |
| 100 | Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required | | | | | | |
| 101 | 3 Module (100 mmX75 mm) | 20.00 | Each | 236.28 | 292 | 4,726 | 5,293 |
| 102 | Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. | | | | | | |
| 103 | 3 Module | 20.00 | Each | 113.27 | 272 | 2,265 | 2,537 |
| 104 | Erection and testing of ceiling fan and regulator for room height upto 3.5 metres including supply of 3mm thick G.I.Pipe19mm dia. Duly painted, complete in all respect. | 20.00 | Each | 140,00 | 336 | 2,800 | 3,136 |
| 105 | Supply and fixing of fan hook fabricated from M.S. rod for ceiling fan each. | 20.00 | Each | 135.00 | 324 | 2,700 | 3,024 |
| 106 | Supply and fixing of recess/surface/pendent mounting ground 12 to 15 watt LED downlighter having powder coated die cast aluminium housing with heat sink, diffuser/reflector and driver set complete in all repect. | | | | | | |
| 107 | CAT- AAA | 46.00 | Each | 2120.00 | 11702 | 97,520 | 1,09,222 |

| | 0 63,000 70,560 | | 56 1,66,380 1,86,346 | 0 54,000 60,480 | | | 1,769 1,981 | | 1 13,008 14,569 | |
|--|-----------------|--|----------------------|-----------------------|--------------|---|--|---|-----------------|--|
| | 7560 | | 19966 | 6480 | | | 212 | | 1561 | |
| | 3150.00 | | 3540.00 | 1800.00 | | | 17.69 | | 43.36 | |
| | Each | | Each | Each | | | Meter | | Meter | |
| | 20.00 | | 47.00 | 30.00 | | | 100.00 | | 300.00 | |
| Supply and fixing of recess mounting ground ceiling cutout 200 mm height 85 mm 18 watt LED downlighter having powder coated die cast aluminium housing with heat sink, diffuser/reflector and driver set complete in all repect. | CAT- AAA | Supply and fixing of recess/surface mounting ground 24 watt to 32 watt LED downlighter having powder coated die cast aluminium housing with heat sink, diffuser/reflector and driver set completed in all repects. | CAT- AAA | Supply of CEILING fan | IT COMPONENT | Supplying and drawing following pair 0.5 sq. mm FR PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required. | 2 Pair (4 core) From LV box to different point | Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required. | 1 run of cable | Providing, laying connecting and testing of multi-core telephone armored/ unarmored cable of conductor size 0.5mm dia annealed copper conductor PVC insulated PVC sheathed jelly filled (as per DOT specification) cable as required |
| 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 |

| 06 | | 09 | | Ŋ | 0 | 6 | | 80 | 2 |
|---------------------------------|--|--------------------|---|-----------------------|-----------------------|-----------------------|--|--|--|
| 31,360 | | 14,560 | | 1,665 | 8,920 | 4,559 | | 5,308 | 2,632 |
| 28,000 | | 13,000 | | 1,487 | 7,964 | 4,071 | | 4,739 | 2,350 |
| 3360 | | 1560 | | 178 | 926 | 488 | | 569 | 282 |
| 280.00 | | 6500.00 | | 74.33 | 79.64 | 81.41 | | 105.31 | 470.00 |
| Meter | | Each | | Meter | Meter | Meter | | Each | Each |
| 100.00 | | 2.00 | | 20.00 | 100.00 | 20.00 | | 45.00 | 5.00 |
| 20 Pair telephone armored cable | Providing, fixing connecting and testing of under noted size of solder less telephone tag block Krone make in surface/recess in wall required size of M.S. box with hinged lockable cover duly stove enamel painted. | 100 pair tag block | Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. | 20mm dia conduit pipe | 25mm dia conduit pipe | 32mm dia conduit pipe | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. | Supplying and fixing M.S. box with modular type telephone (RJ-11) outlet complete as required. | Modular Type DATA (RJ-45) outlet complete as required |
| 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 |

| 14,000 | 7,300 | 29,680 | 84,560 | 46,771 | 22,322 | 1,46,720 |
|---|--|--|---|---|---|---|
| 12,500 | 6,518 | 26,500 | 75,500 | 41,760 | 19,930 | 1,31,000 |
| 1500 | 782 | 3180 | 0906 | 5011 | 2392 | 15720 |
| 12500.00 | 6518.00 | 26500.00 | 75500.00 | 6960.00 | 19930.00 | 131000.00 |
| Each | Each | Each | Each | Each | Each | Each |
| 1.00 | 1.00 | 1.00 | 1.00 | 6.00 | 1.00 | 1.00 |
| Supplying & Fixing of UTP Jack Panel, loaded with 48 no's UTP ports for Non-PCB based IO Jacks (RJ45, TIA-568C Category-6, Shall have integrated bonding bar or other mechanism for grounding, Shall be loaded with individually replaceable 24 nos. Category-6 certification by Jacks complying with TIA-568.C.2, Shall be having a 6 port module construction for better cable dressing at the rear, the jacks shall have RJ-45 type connector with bend limiting and strain relief boot for securing IDC contacts from external forces and for maintaining the bend radius of the cable complete in all respect. | Supplying & Fixing of Floor Standing Network/Server Rack - 12U, with Heavy Duty Extruded Aluminum Frame for rigidity. With a Overall Weight Carrying Capacity of 60Kgs. Side Panels - 12U Front MS Door 12U Rear MS Door Split 12U Fan W 12U Shelf | Supplying Installation testing and Commissioning of 24 port POE switch and 4 GSFP ports, layer 2 from day1 having static & RIP, should support external redundant power supply, certified, each switch should be provided with stacking port/cable complete in all respect | UTM / NGFW- Layer-3, Layer-4, NAT, VPN, application visibility and control, advance malware protection, URL filtering | IP Indoor Dome Camera 2MP, dome type, Ip camera, Full HD resolution, day/night capable, 25/30 frames per second, IR illumination, aluminium contruction housing | NVR- cctv video recording device, IP camera support, aluminium housing, 16 channel input, rack mounted, 4K recording capable, windows OS, ethernet ports, HDMi port, VGA port, USB port, serial port, PoE ports | Server- intel 4 core processor, ddr4 SDRAM with ECC, 16 gb SDRAM, 2TB storage capacity, ethernet ports 1G |
| 129 | 130 | 131 | 132 | 133 | 134 | 135 |

| 00 | 00 | 0 | 6 | 92 | 32 | 00 | | 2 | 0 |
|--|---|--|---|--|---|---|---------------------------|--|---|
| 15,568 | 15,118 | 10,920 | 15,389 | 1,13,792 | 5,87,832 | 23,828 | | 74,995 | 60,480 |
| 13,900 | 13,498 | 9,750 | 13,740 | 1,01,600 | 5,24,850 | 21,275 | | 096'99 | 54,000 |
| 1668 | 1620 | 1170 | 1649 | 12192 | 62982 | 2553 | | 8035 | 6480 |
| 13900.00 | 13498.00 | 9750.00 | 13740.00 | 101600.00 | 34990.00 | 21275.00 | | 5580.00 | 18000.00 |
| Each | Each | Each | Each | Each | Each | Each | | Each | Each |
| 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 15.00 | 1.00 | | 12.00 | 3.00 |
| 59.5-61.5 CM Liquid Crystal Display LCD Panel or Monitors for Server | Bar code printer, direct thermal printing technology, roll type media, 203 dpi resolution, 24 watt power consumption of make Zebra, TVS-E, Epson) | Barcode scanner, corded, handheld, 250 scans per second, usb connection, 2d imager of make honeywell, i-ball, TVS-E. | Printer, A4 size, laser printer of make HP, Cannon, Epson | Online 5KVa UPS, 60 minutes backup, 8193 VAH, pure sine wave | All in one PC, 64 bit, intel processor minimum 8th gen 4 cores i3, windows 10 Professional, 4 gb ram ddr4, 1000gb HDD, 1920 x 1080 resolution display, ethernet, usb ports, dvd drive, mic in, headphone jack, 150 W power supply capacity, wired mouse, wired keyboard | E-Library Software (E-Granthalaya) from NIC | Furniture and electronics | Computer table with keyboard drawer and table top and cable pass-through hole on table top, structure- steel members duly welded and rigid fixed table top, with footrest, table top material- MDF board of grade SBG II of IS 12406 | L shaped executive table, cable passthrough hole on table top, storage on both sides, table top material-prelaminated particle board of grade II type II of IS 12823, keyboard tray provided, footrest provided |
| 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 |

| Library table made, 6 seater, table top material-25mm thick 3 lyvered pre-laminated particle board of grade II type II S 12823, table top finish- laminated particle board of grade II matt finish 0.6-0.8mm thickness conforming to IS 2046/1995 Chair with frame of SS 202 and plastic moulded seat, seat finish- injection moulded high impact strength polypropylene polymer compund with indoor grade UV resistance covered with polyurethane, Seat material- Steel covered with polyurethane, Seat material- Prelaminated ABS/Nylon twin caster wheels, Arm material- Steel covered with polyurethane, Seat material- Prelaminated wooden book case, free standing, 2 openable doors with glass panels, 4 shelves, shef material- prelaminated aparticle board, handle-chrome plate, height-1800mm- 21.00mm and 1145 mm tapered, mild steel material, medium coversistance, a shelves, 18 SWG mild steel, shelves of perforated MS sheet Newspaper stand with double side reading surface, structure- structural lepoxy powder coated treatment- structural lepoxy powder coated suplly and installation of Air Conditioner, split type, 1.5 ton, 5 star rating with complete in all respect of make Dalken, hitachl, blue star or eqivalent. | 59,750 66,920 | 67,620 75,734 | 31,500 35,280 | 2,19,890 2,46,277 | 25,200 28,224 | 20,000 22,400 | 2,97,990 3,47,990 | 2,40,000 2,68,800 | |
|--|--|--|--|--|---------------|---|--|-------------------------|-------------------|
| e made, 6 seater, table top material-25mm red pre-laminated particle board of grade II 823, table top finish- laminate in colour with 0.6-0.8mm thickness conforming to IS rame of SS 202 and plastic moulded seat, seat thon moulded high impact strength see polymer compund with indoor grade UV to moulded high impact strength sevolving chair, pedestal base-ABS plastic with twin caster wheels, Arm material- Steel the polyurethane, Seat material- Pu foam the fabric, height adjustment up to 100mm, with fabric, height adjustment up to 100mm, and Magazine Stand Wrought Iron 1220 mm mr tapered, mild steel material, medium resistance, 4 shelves, 18 SWG mild steel, turdy square tubular steel stand, surface, turdy square tubular steel stand, surface, turdy square tubular steel stand, surface, structural epoxy powder coated and Magazine Stand with double side reading surface, turdy square tubular steel stand, surface structural epoxy powder coated ating with complete in all respect of make tchi, blue star or eqivalent. R collection R collection Each Each Each Each Each Each Each Each Each School Each Each School Each School Each Each School Each Each Each Each School Each Each School Each School Each Each School Each School Each Each School Each Each School Each Scho | 7170 | 8114 | 3780 | 26387 | 3024 | 2400 | 20000 | 28800 | |
| e made, 6 seater, table top material- 25mm red pre-laminated particle board of grade II 823, table top finish- laminate in colour with 0.6-0.8mm thickness conforming to IS 7.00 7.00 7.00 7.00 800.00 | 11950.00 | 1610.00 | 10500.00 | 9995.00 | 3600.00 | 2000.00 | 29799.00 | 300.00 | - A |
| e made, 6 seater, table top material- 25mm red pre-laminated particle board of grade II 823, table top finish- laminate in colour with 0.6-0.8mm thickness conforming to IS rame of SS 202 and plastic moulded seat, seat tion moulded high impact strength are polymer compund with indoor grade UV evolving chair, pedestal base- ABS plastic with twin caster wheels, Arm material- Steel th polyurethane, Seat material- Pt foam th fabric, height adjustment up to 100mm, sing ok case, free standing, 2 openable doors with s, 4 shelves, shef material- prelaminated and Magazine Stand Wrought Iron 1220 mm m tapered, mild steel material, medium resistance, 4 shelves, 18 SWG mild steel, erforated MS sheet stand with double side reading surface, turdy square tubular steel stand, surface structural epoxy powder coated nstallation of Air Conditioner, split type, 1.5 ating with complete in all respect of make orth, blue star or eqivalent. | Each | Each | Each | Each | Each | Each | Each | Each | The second second |
| Library table made, 6 seater, table top material- 25mm thick 3 layered pre-laminated particle board of grade II type II IS 12823, table top finish- laminate in colour with matt finish 0.6-0.8mm thickness conforming to IS 2046/1995 Chair with frame of SS 202 and plastic moulded seat, seat finish- injection moulded high impact strength polypropylene polymer compund with indoor grade UV resistance High back revolving chair, pedestal base- ABS plastic with ABS/Nylon twin caster wheels, Arm material- Steel covered with fabric, height adjustment up to 100mm, upright locking Wooden book case, free standing, 2 openable doors with glass panels, 4 shelves, shef material- prelaminated particle board, handle- chrome plate, height- 1800mm- 2.100mm Newspaper and Magazine Stand Wrought Iron 1220 mm and 1145 mm tapered, mild steel material, medium corrossion resistance, 4 shelves, 18 SWG mild steel, shelves of perforated MS sheet Newspaper stand with double side reading surface, structure- structural epoxy powder coated treatment- structural epoxy powder coated supply and installation of Air Conditioner, split type, 1.5 ton, 5 star rating with complete in all respect of make Daiken, hitachi, blue star or eqivalent. | 5.00 | 42.00 | 3.00 | 22.00 | 7.00 | 4.00 | 10.00 | 800.00 | |
| | Library table made, 6 seater, table top material- 25mm thick 3 layered pre-laminated particle board of grade II type II IS 12823, table top finish- laminate in colour with matt finish 0.6-0.8mm thickness conforming to IS 2046/1995 | Chair with frame of SS 202 and plastic moulded seat, seat finish- injection moulded high impact strength polypropylene polymer compund with indoor grade UV resistance | High back revolving chair, pedestal base- ABS plastic with ABS/Nylon twin caster wheels, Arm material- Steel covered with polyurethane, Seat material- PU foam covered with fabric, height adjustment up to 100mm, upright locking | Wooden book case, free standing, 2 openable doors with glass panels, 4 shelves, shef material- prelaminated particle board, handle- chrome plate, height- 1800mm- 2100mm | | Newspaper stand with double side reading surface, structure- sturdy square tubular steel stand, surface treatment- structural epoxy powder coated | suplly and installation of Air Conditioner, split type, 1.5 ton, 5 star rating with complete in all respect of make Daiken, hitachi, blue star or eqivalent. | Library book collection | Mannower |

| Operation Internet Charges Static IP | | | | , | 7,10,000 | 2,16,000 |
|--|-------|--------|-------------|------|-----------|-----------|
| let Charges | | | | | | |
| di | 1.00 | nos | ₹ 15,000.00 | 1800 | 15,000 | 16,800 |
| | 1.00 | nos | 13000.00 | 1560 | 13,000 | 14,560 |
| End point Antivirus | 15.00 | nos | 399.00 | 718 | 5,985 | 6,703 |
| GRAND TOTAL | 1.00 | Nos | 1.00 | | 61,69,289 | 68,97,925 |
| | | | | | 61,69,28 | 68,97,92 |
| | | Select | | | 0 | 0 |
| Rate Quoted = % below/above of Estimated Cost | | | | | | |
| Quoted Amount = Rs Quoted Amount = Rs tal of (In Figures as pees | in C) | J | | | (In | Words) |

2 13

| And should this tender be accepted, I/we do here by agree and bind myself/ ourselves to abide by and fulfill all the conditions of this Tender Document, in default thereof to forfeit and pay to the Chief Executive Officer, Bareilly Smart City Limited the penalties of sums of money mentioned in the said condition. | nent, in default thereof | |
|--|--------------------------|--|
| Dated: | | |
| Bidder's Signature | Total San Park | |
| Seal | | |
| Address | | |
| Witness: | | |
| Address: | | |
| The above tender is hereby accepted by me on behalf of the Bareilly Smart City Limited. | | |
| (Designation) | | |
| SIGNATURE OF AUTHORITY BY WHOM the TENDER IS ACCEPTED | | |
| | | |
| (Designation) | | |
| SIGNATURE OF AUTHORITY BY WHOM the TENDER IS ACCEPTED | | |

DRAFT LETTER OF INTENT

| To, | |
|--|--|
| xxxxxxxxx, | |
| xxxxx, | |
| | |
| Ph: | |
| | |
| Subject: - Letter of Intent (LOI) for "Renovation Nagar Nigam Library into Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation" | |
| | |

We refer to the tender published on XX/XX/2021 on e-tender website and technical bid opened on XX/XX/2021 in response to the invitation for Bids for "Renovation Nagar Nigam Library into Digital Library under Bareilly Smart City Limited with 1 year Defect Liability and 1 year of Operation"

Bareilly Smart City Limited, Bareilly (BSCL) is pleased to inform you that your Bid has been accepted by the BSCL.

You have been selected as the Preferred Bidder for the captioned project at the Contract Price of (inclusive of GST) Rs. X/-+GST (Rs.X) = Rs X /- [IN WORDS] (hereinafter referred to as the "Contract Price"). This Contract price is subject to fulfilment of all terms and conditions specified in the bid document. The Contract Price will be inclusive of all applicable taxes, duties, statutory charges, levy and any other charges as applicable from time to time. The payment will be made as per the payment conditions mentioned in the bid document.

The bidder shall execute an agreement/contract for the fulfilment of the contract on non-judicial stamp paper of Rs.100/- within 10 (Ten) days from the date of issuance of letter of intent.

The Bidder shall furnish an affidavit on a stamp paper of Rs.10/- stating that if there is any change in the govt. guidelines regarding the company contracts or increase in stamp duty to be paid then the bidder needs to submit the stamp papers of appropriate value. In the event of failure, the BSCL shall have full rights to recover the balance stamp duty from the Bid Security deposit.

Kindly acknowledge the acceptance of this "Letter of Intent" by signing duplicate copy by your authorized Representative and deliver the same to us.

Chief Executive Officer
Bareilly Smart City Limited,
Bareilly

| Agreed | and | Acce | pted |
|--------|-----|------|------|

| Signature of the | Authorized Representative of the Agency (i.e |) |
|------------------|--|---|
| Name: | | |
| Designation: | | |
| Address: | | |
| | | |
| Place: | | |
| Date | | |

Company Seal

DRAFT CONTRACT AGREEMENT

(To be signed by the Owner and the Successful Bidder within the period specified in the Bidding Documents after the issue of Letter of Intent)

(To be stamped in accordance with the Stamp Act, of the State)

| THIS AGREEMENT is made on day of 2021 between Bareilly Smart City Limited, a company incorporated under the Companies Act, 2013 having its CIN No. as U93000UP2018SGC102746 and its Registered Office at "C/O Executive Engineer, Municipal Board, Nagar Nigam, Bareilly UP-243001", (hereinafter referred to as "Owner', which expression shall, unless repugnant to the context or meaning thereof, include its successors, administrators and assigns) of the ONE PART |
|---|
| and |
| (hereinafter referred to as the "Contractor", which expression shall, unless repugnant to the context or meaning thereof, include its successors, administrators and assigns) of the OTHER PART. |
| WHEREAS the Owner, desirous of associating with the Contractor for "RENOVATION NAGAR NIGAM LIBRARY INTO DIGITAL LIBRARY UNDER BAREILLY SMART CITY LIMITED WITH 1 YEAR DEFECT LIABILITY AND 1 YEAR OF OPERATION" (the Project) on the terms and conditions contained in the Bidding Documents and amendments of the clarifications in respect there of issued by the Owner in response Invitation for Bid (IFB) dated |
| AND WHEREAS the Contractor had submitted its Bid for the said Project under its Letter dated (as hereinafter referred to as the "Bid"). |
| AND WHEREAS the Owner has accepted the Bid, as conveyed to the Contractor vide Letter of Intent No |
| AND WHEREAS the Contractor has accepted the Letter of Intent, as conveyed to the Owner vide dated |

Article -1.0 - Definition

Contract.

In this Agreement the words and expressions shall have the same meaning as are respectively assigned to them in the Contract Documents specified hereunder attached herewith which form an integral part of this Contract Agreement. This Agreement together with all the Documents attached therewith

......(hereinafter referred to as the "Letter of Acceptance"), resulting into this

NOW THEREFORE THIS AGREEMENT WITNESSETH AS UNDER:

is referred to as the Contract for all intent and purposes of the aforesaid Project.

Article - 2.0 - Date of commencement of Contract

This Contract has come into force with effect from i.e. from the date of the signing of Contract Agreement.

Article - 3.0 - Contract Documents

The Contract shall be performed strictly as per the terms and conditions stipulated herein and in the following documents attached hereto (hereinafter referred to as Contract Documents):

- (i) The Contract Agreement between the Owner and the Contractor and the attachments thereto. (This Contract Agreement).
- (ii) Accepted Letter of Intent till the execution of Contract Agreement between the Owner and the Contractor. (Annexure 1)
- (iii) Bid submitted by the Successful Bidder (Annexure 2)
- (iv) RFP issued to the Bidder (comprising Instruction to Bidders, General Conditions of Contract, Special Conditions of Contract and Technical Specification) and Corrigendum (Annexure 3)
- (v) Designs and Drawings. (As per DPR Annexure 4)
- (vi) Negotiation letter/ offer by the bidder, if any, to be part and parcel of contract.

The above Contract Documents shall form an integral part of this Agreement. If there is an ambiguity or discrepancy or conflict within the Contract Documents, the priority of the Documents shall be in the order in which the Contract Documents are listed above. All Documents forming part of the Contract Documents are intended to be correlative, complementary and mutually explanatory. The Contract shall be read as a whole.

Subject to the provisions relating to Arbitration specified in General Conditions of Contract of the Contract Document, in case of any conflict amongst Contract Documents, the decision of the Owner shall be final & binding on the Contractor.

Article - 4.0 - Scope of Work

The detailed scope of work of the Contractor, under the Contract, has been brought out in the RFP Documents. However, the above scope of work of the Contractor shall also include such items of work as may not have been specifically brought out in the said Contract Documents but as may be necessary for the safe and successful completion of the various items of work, envisaged, as per good engineering practice and recognized principles.

Article - 5.0 - Contract Price

per the Terms and Conditions and subject to the requirements as specified in the said General Conditions of Contract.

Article - 6.0 - Contract Schedule

Time is the essence of Contract and shall be strictly adhered to. The Contractor shall so organize its resources and perform its work as to complete (Operate) it within for a period of 36 (Thirty Six) months from the date of Signing of Contract and as per the Projects Completion Schedule forming part of the Bid submitted by the Contractor subject to further modifications/ changes as may be mutually agreed to between the Owner and the Contractor.

Article - 7.0 - Owner's Engineer Functions

The Owner's Engineer in relation to the Contractor shall have such functions as are delegated to it by the Owner from time to time and intimated to the Contractor. The Contractor shall carry out the instructions issued by the Owner's Engineer as if they were the instructions issued by the Owner. If there is any difference between the Contractor and Owner's Engineer, on any matter about the implementation of this Contract/Project, the matter shall be referred to the Owner whose decision shall be final and binding on the

| and Darty receiving one set and both the sets w | act is executed in English Language in two originals, |
|---|---|
| | ill be authentic. M/s has |
| | gh NEFT/RTGS/FDR onvide Txn |
| No | along with the EMD Deposited of |
| | ly Smart City Limited, A/C No.: 0294001100000836, |
| Name of Bank: Punjab National Bank, Branch: Pilib | hit By-Pass Road, Bareilly, IFSC Code: PUNB0613400 |
| vide Txn No as Security De | posit for the Tender ID No: |
| Hence the total requisite amount for the agrees | nent is Rs/- |
| has been furnished by M/s | |
| executed these presents on the day, month and y | through their duly authorized representatives have ear first above mentioned, at Bareilly. |
| | |
| () | ear first above mentioned, at Bareilly. () |
| | ear first above mentioned, at Bareilly. |
| () | ear first above mentioned, at Bareilly. () |
| () Chief Executive Officer | () For M/S |
| () Chief Executive Officer | () For M/S |

2.